


**Non-staggered Parking (curb line parallel to the parking aisle)**


*L: Measured perpendicular to the parking aisle.*  
*W: Measured parallel to the parking aisle.*



Angle	Standard Size Spaces			Compact Spaces			Min. Aisle Width	
	L	L <sub>2</sub>	W	L	L <sub>2</sub>	W	One-way	Two-way
90 Degrees	18	36	9	16	32	8	24 ft	24 ft
75 Degrees	19.5	39	9.5	17.5	35	8.5	20 ft	24 ft
60 Degrees	19	38	10	17.5	35	9.5	16 ft	22 ft
45 Degrees	18	36	12	16.5	33	11.5	14 ft	22 ft

**Staggered Parking (Curb line perpendicular to the parking space)**

*L: Measured perpendicular to the parking aisle from the furthest point of the end line.*  
*W: Measured parallel to the parking aisle.*



Angle	Standard Size Spaces			Compact Spaces			Min. Aisle Width	
	L	L <sub>2</sub>	W	L	L <sub>2</sub>	W	One-way	Two-way
75 Degrees	19.5	36.5	9.5	17.5	32.5	8.5	20 ft	24 ft
60 Degrees	19	33.5	10	17.5	31.5	9.5	16 ft	22 ft
45 Degrees	18	31.5	12	16.5	27.5	11.5	14 ft	22 ft

**Notes:**

- Depending on the specific circumstances, a wider aisle width (typically 20 ft minimum) may be required for Emergency and Fire Dept access.
- Dimensions are DPRS staff recommendations and have not been endorsed by the Planning Board.