(For office use only: Project Number: PB-201)

City of Worcester Planning Board

DEFINITIVE SITE PLAN APPLICATION

Division of Planning & Regulatory Services
City Hall, 455 Main Street, Room 404, Worcester, MA 01608

Phone: (508) 799-1400 x 31440 - Fax: (508) 799-1406 - E-mail:

(preferred)

1.	PROPERTY INFORMATION		
a.	39 Lamartine Street Address(es) – please list all addresses the subject property is known by		
b.	05-014-00008 Parcel ID or Map-Block-Lot (MBL) Number	AON 1/202	WORC
С.	Worcester District Registry of Deeds, Book 67447 Page 1 Current Owner(s) Recorded Deed/Title Reference(s)	<u></u>	
	BG-3 0 Zoning District and all Zoning Overlay Districts (if any) APPLICANT INFORMATION	₽ 3: 33	
	Polar Views LLC Name(s)		
Ь.	89 West Main Street, Unit 101, Northborough, MA 01532 Mailing Address(es)		
C.	jsmith@bowditch.com; (508)-926-3464 Email and Phone Number(s)		
d.	Owner Interest in Property (e.g., Lessee, Purchaser, etc.)		
3.	I certify that I am requesting the Worcester Planning Board grant the Definitive Site Plan as described below Polar Views LUC By: Daniel Yamie, Its Manager (Signature) OWNER OF RECORD INFORMATION (IF DIFFERENT FROM APPLICANT)		
a.	Same. Name(s)		
b.			
d.	Mailing Address(es)		

Division of Planning & Regulatory Services 455 Main St., 4th Floor, Worcester, MA 01608 Office 508-799-1400 – Fax 508-799-1406

Email and Phone Number

4. REPRESENTATIVE INFORMATION

a.	Joshua Lee Smith, Esq.
	Name(s)
	P. S.P.
b.	
	Signature(s)
C.	311 Main Street, Worcester, MA 01608
	Mailing Address(es)
d.	jsmith@bowditch.com; (508)-926-3464
	Email and Phone Number
e.	Attorney
	Relation to Project (Architect/Attorney/Engineer/Contractor, etc.)
5.	AUTHORIZATION
Aut	horization I, Daniel Yamie, Manager of Polar Views LLC Owner of Record of the property listed with the
Assi	essing Division of the City of Worcester, Massachusetts as Map <u>05</u> Block <u>014</u> Lot(s) <u>00008</u> , do hereby
autl	norize Joshua Lee Smith, Esq. to file this application with the Division of Planning & Regulatory
	20 00
	rices of the City of Worcester on this the 29 day of May 2024.
Pô	ar Views LLC
Ву	Daniel Yarnie Its Manager
Ωn :	his 29 th day of MAY 2024 before me personally appeared
	204. Julia day of
D	Ceniel Ternie to me known to be the person described in and who executed the foregoing
inst	rument and acknowledged that they executed the same as their free act and deed.
	hesa a hunch
	NOTARY PUBLIC
	LISA A. LYNCH
	My Commission Expires: Notary Public, Commonwealth of Massachusetts My Commission Expires OCTOBER 16, 2026.

(If there is more than one owner of the land to be considered in this application, a notarized authorization is required for each owner.)

6. PROVIDE THE FOLLOWING ITEMS, 1 DIGITAL COPY IN PDF FORMAT VIA EMAIL TO AND CONFIRM WITH STAFF BEFORE SUBMISSION OF 1 PHYSICAL COPY BY HAND DELIVERY OR MAIL: Zoning Determination Form obtained from the Inspectional Services Division or call 508 - 799 - 1198 for more information) Completed Site Plan Application, signed by all parties involved. Applicant and Owner (if different) are attached (page 4) Completed Tax Certification for the If the applicant is NOT the Owner, the Owner(s) Authorization for the applicant to apply is attached (page 2) A Certified Abutters List(s) issued within 3 months of this application's filing date which includes all properties affected and includes any contiguous, commonly owned property(s). This can be obtained from the Assessor's Office and includes all abutters and abutters to abutters within 300' of the edge of the land owner's property. Note: if the property(s) is within 300 ft. of another town an abutters list from that town may be required Project Impact Statement describing the proposed project and analyzing how the project and site layout were designed with consideration for and to be compatible with the review criteria in the Zoning Ordinance. Site Plan showing the full project scope and all elements listed in Item 11 of this application, stamped and signed by all applicable professionals Architectural drawings showing exterior elevation, height in feet and stories, exterior materials for all structures, and corresponding floor plans stamped and signed by all applicable professionals Stormwater Report demonstrating compliance with Massachusetts Stormwater Standards for the project, as applicable based on project type and scope (contact staff to confirm) Traffic Study, if necessary based on expected traffic generation (contact staff to confirm) 7. PROVIDE 1 PHYSICAL COPY OF THE FOLLOWING ITEMS: One stamped (i.e. postage paid) pre-addressed envelope for each party on the Abutters List and the applicant (if different from the owner), with the following return address: Division of Planning and Regulatory Services 455 Main Street (City Hall), Room 404 Worcester, MA 01608 Filing Fee of \$______ is enclosed (see fee schedule or contact staff to confirm amount).

8. TAX CERTIFICATION

This certification must be completed by all applicants and owners of the property, certifying payment of all local taxes, fees, assessments, betterments, or any other municipal charges of any kind. Failure to include a completed certification shall result in the application being deemed incomplete. If a Single Owner or Proprietorship: Name b. Signature certifying payment of all municipal charges **Mailing Address** d. **Email and Phone Number** 9. IF A PARTNERSHIP OR MULTIPLE OWNERS: **Names** f. Signatures certifying payment of all municipal charges g. **Mailing Address Email and Phone Number** Applicant, if different from owner: i. Printed Name & Signature of Applicant, certifying payment of all municipal charges If a Corporation or Trust:

j.	Polar Views LLC					
	Full Legal Name					
k.	MA	89 West Main Street, Unit 101, Northborough, MA 01532				
	State of Incorporation	Principal Place of Business				
1.	89 West Main Street, Unit 101, Northborough, MA 01532					
	Malling Address or Place of Business in Massachusetts					
m.						
	Printed Name & Signature of Owner or Trustee, certifying	payment of all municipal charges				
n.						
	Printed Name & Signature of Owner or Trustee, certifying	payment of all municipal charges				
0.						
	Printed Name & Signature of Owner or Trustee, certifying	payment of all municipal charges				

Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges

p.

10. PROJECT TYPE AND DESCRIPTION

a. Existing Conditions. Describe the current/existing use of the property

The property is presently a vac	cant	lot c	onsisting primarity of impervious sur	face co	ntai	ning approximately 18,154 square	e feet.
Proposed Conditions.	Chec	k th	e box for all of the categories th	nat des	cril	be the proposed project:	
Proposed Project Type		1.	WWW.WW.W.		115		
Residential	Х		New Construction	Х	Γ	Lodging House	
Industrial/manufacturing			Rehabilitation/Renovation			Historic Property	
Business	Х		Expansion/Addition			Abuts Historic Property	
Mixed Use	Х		Change of use	Х]	Billboard	
Subdivision			Drive-through			Airport Environs Overlay	

Gas station ≥15%

c. Describe the proposed use of the property (attach separate narrative if needed)

The project includes the development of a new, approximately 52,706 gross square feet, two levels of parking (one at the basement level and one at the ground floor), residential amenities, commercial retail space, 5 stories of multifamily Eligible Development which will include a mix of 1, 2 and 3-bedroom apartments, as well as indoor and outdoor common areas, new landscaping and other site features

≥15% Slope Disturbed

Fill in all information relevant to the proposed project

All Projects	Existing	Change +/-	Total	
Overall lot size in square feet	18,154 SF		18,154 SF	
Number of buildings	0	+1	1	
Total square footage of building(s)	N/A	+52,706 SF	52,706+/- SF	
Number of stories of building(s)	N/A	+6	6	
Number of parking spaces			40	
Number of loading spaces	0	0	0	
Changes to on-street parking				
Total vehicle daily trips. Please consult staff for specific thresholds requiring review.				
Square feet of wetlands		_		
Square feet of surface (open) water				
Square feet of area vegetated/wooded				
Number of trees over 9" in caliper				
Cubic yards of fill material to be imported/exported				
Square feet of property in floodplain				
Length of roadway (in feet or miles)				
Residential	Existing	Change +/-	Total	
Number of units			33	
If multi-family, number of bedrooms per unit			17-1BR; 12-2BR; 3-3BR	; 1 Penthou
Number of accessible units		_		
Number of affordable units			6	
Business/ Industrial	Existing	Change +/-	Total	
Gross square feet of floor area			1,495	

11. ZONING

If this project has already been granted Zoning Relief by the Zoning Board of Appeals, please list the relief below:

Unknown	
	Unknown

12. PERMITS REQUIRED

List any **Federal, State, or City of Worcester** agencies from which permits or other actions have been or will be sought. Please continue list on an attached sheet if needed.

Agency Name	Permit Type	Date Filed	File Number
Worcester Zoning Board	Variance	TBD	
Worcester Conservation Commission	Order of Conditions (Local)	TBD	
Worcester Planning Board	Definitive Site Plan + IZ Special Permits	Revised 10/30/2024	PB-2024-053

13. PLAN REQUIREMENTS

The following information is required of all applications submitted for Site Plan Review. If you are not providing one of these, please check "waiver requested" next to the item.

	Feature	Waiver Requested	Location in Set (Sheet/ page #)
a.	Site Plan at a minimum $1'' = 40'-0''$ scale, legend, & properly oriented north arrow		4
b.	Locus plan with zoning information shown		4
c.	Existing utilities		2
d.	Existing and proposed grading using differing linetypes, showing 2' contours		4
e.	Soil types identified on the plan (including test-pit/boring locations)		4
f.	Location of all trees over 9" caliper inches on existing conditions plan		N/A
g.	Architectural elevations or renderings (including exterior materials)		Architecturals
h.	Landscape plan including plantings, and details for all landscape elements		Landscape shee
i. [Shade trees to reduce heat island effect. (1 tree required per dwelling unit and a minimum of 1 tree required for every 10 interior parking spaces, 3.5" caliper size)		
j.	Stormwater mitigation measures for the 2, 10, 25, & 100-year design storm. Provide a stamped Stormwater Checklist & Calculations. <i>All projects shall comply with Massachusetts Stormwater Standards, as applicable to project scale.</i>		4-5
k.	For multi-family residential dwellings in B zones, 10% of site area has been provided for recreation. <i>Note: See Article IV, Section 2, Table 4.2, footnote 3.</i>		4

14. REVIEW STANDARDS

The following standards shall be used by the Planning Board in reviewing all applications for site plan review. These standards are intended to provide a frame of reference for the applicant in development of applications. These standards shall not be regarded as inflexible requirements. They are not intended to discourage creativity, invention or innovation. Applicants are encouraged to evaluate the extent to which the site plan, its immediate and general locus and the City more generally can tolerate the development being proposed and adjust their proposals accordingly.

Applicants should additionally <u>provide a narrative "project impact statement"</u> summarizing how the proposed project has been designed with the following criteria in mind by evaluating their proposal on the basis of the following 16 review standards, as outlined in the Zoning Ordinance per Article V, Section 5, B.

Provide the following information about the proposed project in relation to the review standards. If you are not providing one of these features please check "none" next to the item.

1. Adequacy and arrangement of pedestrian traffic access and circulation, walkway structures, control of intersections with vehicular traffic and overall pedestrian convenience.

	Feature	None	Page/ sheet #
а.	Pedestrian pathways internal to the site, with dimensions of path widths		3
b.	Pedestrian pathways connecting to sidewalks or nearby amenities		3
c.	Doors/egress to all existing and proposed buildings		3
đ.	Pedestrian paving and surface treatment details		8
e.	Safe, ADA accessible pedestrian crossings at driveways and intersections		3

2. Adequacy and arrangement of vehicular traffic access and circulation including intersections, road widths, pavement surfaces, dividers and traffic controls.

	Feature	None	Page/ sheet#
a.	Driveway layout & materials		3
b.	Dimensions of all drives and curb cut widths, minimizing the number and width of curb-cuts (see Note 5 to Table 4.4)		3
c.	Access control and directional signage (e.g. gates, pavement markings, etc.))		3
d.	Pavement and curb details, including level sidewalks at driveways		7
e.	Permeable or porous paving, and/ or cool pavements/ treatments		N/A

3. Location, arrangement, appearance and sufficiency of off-street parking and loading.

	Feature	None	Page/ sheet #
a.	Number of parking spaces provided (9 x 18)		3
b.	Number of compact parking spaces (8 x16)		3
c.	ADA parking spaces		3
d.	Parking aisle width (24 feet for 90° parking; see policy for angled spaces)		3
е.	Parking is outside front & exterior side yard/setback (except residential drives)		3
f.	Loading spaces or docks (see Table 4.5 and related notes)		3
g.	Screen planting between parking and edge of property or pedestrian paths		
h.	Number of electric vehicle charging stations or "ready" (conduit run) spaces		3
i.	Bicycle parking (is it covered, or provided inside the building? Circle: YES NO)		3

	b.	Front façade with features to add visual interest and activate street (e.g., window placement, variation of materials, reduction in massing, etc.)			Architecturals
	c.	Green roof, blue roof, rooftop solar, or use of high-albedo roof treatments			3
	d.	Light levels appropriate for safety (1 foot candle) where pedestrians and vehicles will meet	[*
	e.	Parking and circulation directional signage	П	V	
	f.	Signage facing the street			3
5.	Adeo	quacy of stormwater and drainage facilities.			
•	,,,,,,	Feature	N	lone	Page/ sheet #
	a.	Flood Zones, wetlands, watercourses, and water quality and wellhead protection areas	Ī	<u> </u>	
	b.	Bioswale or other open stormwater infiltration area planted with native vegetation (rain garden, etc.)		V	
	c.	Infiltration of clean runoff to maintain groundwater supply		/	
	d.	Overflow or other connection to City stormwater infrastructure***			4-5
	3	***Contact DWP&P to determine any applicable sewer connection or use change	: fe	es.	
6.	Aded	quacy of water supply and sewerage disposal facilities.			
		Feature	N	lone	Page/ sheet #
	a.	Connections to or extensions of city sanitary sewer and water utilities. Contact DWP&P to determine any applicable sewer connection or use change fees.		$\overline{}$	5
	b.	Connections to or extensions of city storm drainage infrastructure	П		5
	c.	Footing or foundation drainage for a proposed structure or wall	П	V	
7.	Aded	quacy, type and arrangement of trees, shrubs and other landscaping eleme scaping Design Standards set forth in Article V, Section-5(C).	nts	in a	ccordance with the
		Feature	N	lone	Page/ sheet #
	a.	Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.	ſ	\neg	4
	b.	Engineered slopes (rip-rap is not recommended)	П	V	
	c.	Planted buffers between parking facilities and adjacent properties or roads	П		
	d.	Proposed plantings and areas to be seeded (number, species or mix, size)	П		
	e.	Fencing, including information on material, height, and style (including gates)	П		3
	f.	Planted buffers along rear and side yard setbacks	Π		
8.		e case of an apartment complex or other multiple dwelling, the adequacy of u space. Note: for residential uses in Business Districts see Article IV, Section 2, Table 4.2, for			ommon property or
		Feature	N	lone	Page/ sheet #
	a.	Outdoor seating (i.e. benches, seat walls, picnic tables, etc.)		<u>/</u>	
	b.	Recreation or play area (Is it designed for children/ families? Circle: YES NO)			3
		land the second		4	
	c.	Raised beds for a community garden or other urban agriculture provisions		/	
	c. d.	Raised beds for a community garden or other urban agriculture provisions Paved pedestrian plaza area (includes patios) or deck			3

4. Location, arrangement, size, design and general site compatibility of buildings, lighting and signs.

None

Page/ sheet #

3

Feature

Building entrance fronting on the sidewalk

		dark-sky compliant, and with shielding to prevent light spillover		1
	c.	Photometric plan for parking lots with ≥12 new spaces		
	d.	Opaque fencing or evergreen planting to screen trash or utility areas (including siting and screening of roof-top equipment, as applicable)	~	
	e.	Sound attenuation at loading, utility, and other noise generating areas with particular attention to sensitive neighbors	~	
	f.	Limit of clearing, with mature vegetation protected where possible		
0. /	Adeo	quacy of fire lanes and other emergency zones and the provisions of fire hydra	nts.	
		Feature	None	Page/ sheet #
	a.	Diagram of fire truck access path (applicant should coordinate turning radius and access requirements with the Fire Department)	V	
	b.	Clearly marked fire or emergency loading areas	~	3
	c.	Fire hydrants and/or FDC connections		5
		ial attention to the adequacy of structures, roadways and landscaping in a fing, flooding and/or erosion. Feature	None	Page/ sheet #
•				
•	a.	All buildings and utilities are located at or above the 500-year flood elevation		4
•	a. b.	All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff		4
	b.	Drainage infrastructure is designed to reduce ponding and slow runoff	10 70 11 11 11	4 onstruction.
	b. Adec	Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and feature	after c	4
	b. Adec a.	Drainage infrastructure is designed to reduce ponding and slow runoff	10 70 11 11 11	4 onstruction.
	b. Adec	Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities Plans for securing of any stockpiles on site during construction	10 70 11 11 11	4 onstruction. Page/ sheet #
	b. Adec a.	Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities	10 70 11 11 11	onstruction. Page/ sheet #
	b. Adec a. b.	Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities Plans for securing of any stockpiles on site during construction Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient) Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient)	None	onstruction. Page/ sheet #
	b. Adec a. b. c.	Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities Plans for securing of any stockpiles on site during construction Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient)	None	onstruction. Page/ sheet #
2. /	b. Adec b. c. d. e.	Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities Plans for securing of any stockpiles on site during construction Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient) Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient) Temporary sediment basins and other means of stormwater velocity	None	4 construction. Page/ sheet # 6 6
2. /	b. Adec b. c. d. e.	Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities Plans for securing of any stockpiles on site during construction Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient) Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient) Temporary sediment basins and other means of stormwater velocity attenuation or conveyance proposed during construction formance and compatibility of the site plan design with structures listed in the	None	4 construction. Page/ sheet # 6 6
.2. /	b. Adec b. c. d. e.	Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities Plans for securing of any stockpiles on site during construction Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient) Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient) Temporary sediment basins and other means of stormwater velocity attenuation or conveyance proposed during construction formance and compatibility of the site plan design with structures listed in the storic Places.	None	4 onstruction. Page/ sheet # 6 6

9. Protection of adjacent or neighboring properties against noise, glare, unsightliness or other objectionable features.

Plan locating all existing (to remain) & proposed light fixtures

Details of all proposed light fixtures: showing max temperature of 4,000K,

None/

Page/sheet#

Feature

a.

b.

14. Adequacy and impact on the regional transportation system.

	Feature Page 1997 1997 1997 1997 1997 1997 1997 199	None	Page/ sheet #
a.	Bus service within ¼ mile (indicate number of stops and route numbers)		3
b.	Improvements to neighborhood walk/bike-ability or public transportation		3

15. Adequacy of plans and protective measures to ensure minimal risk of contamination to surface or ground water.

	Feature	None	Page/ sheet #
a.	Snow storage locations (outside of basins and required parking/landscape buffer)	V	
b.	Water quality structures to remove total suspended solids (TSS) from runoff		5
c.	Water quality structures to remove pollutants from runoff (i.e. oil/ water separators, etc.)		5
d.	Plan for mitigation of any contaminated soils (include RTN, RAM Plan, AUL)	~	
e.	Locations of material to cut or filled (including the location of the source material if fill)		4
f.	Dewatering plans	~	

16. Conformance of the site design with the purposes and intent of the Worcester Zoning Ordinance.

	Feature	None	Page/ sheet #
a.	Minimum yard setbacks (for front, side, and rear)		3
b.	Property and right-of-way boundary lines (include the status of ways)		3
c.	Easements for any utilities, public access, or adjacent properties	V	
d.	Regularity factor for all lots		3
e.	% paving within the front-yard for residential uses		3
f.	Height of all structures in feet and stories		3