(For office use only: Project Number: PB-20 -	(For c	ffice use	only: Pr	oiect Number:	PB-20	-
---	--------	-----------	----------	---------------	-------	---

City of Worcester Planning Board



DEFINITIVE SITE PLAN APPLICATION

Division of Planning & Regulatory Services
City Hall, 455 Main Street, Room 404, Worcester, MA 01608

Phone: (508) 799-1400 x 31440 - Fax: (508) 799-1406 - E-mail: planning@worcesterma.gov (preferred)

1.	PROPERTY INFORMATION
a.	216 and 221 Chandler Street
	Address(es) – please list all addresses the subject property is known by
b.	06-012-00036 & 00055
	Parcel ID or Map-Block-Lot (MBL) Number
c.	68090/92 (216 Chandler) Worcester District Registry of Deeds, Book Page 68988/48 (221 Chandler)
C.	Worcester District Registry of Deeds, Book Page 68988/48 (221 Chandler) Current Owner(s) Recorded Deed/Title Reference(s)
d.	BG-3.0 and CCOD-E
	Zoning District and all Zoning Overlay Districts (if any)
2.	APPLICANT INFORMATION
a.	Polar Views LLC
	Name(s)
b.	89 West Main Street, Unit 101, Northborough, MA 01532
	Mailing Address(es)
c.	jsmith@bowditch.com; (508) 926-3464
	Email and Phone Number(s)
d.	Owner (216 Chandler Street) and Developer (221 Chandler Street)
	Interest in Property (e.g., Lessee, Purchaser, etc.)
	I certify that I am requesting the Worcester Planning Board grant the Definitive Site Plan as
	described below Polar Views LLC
	Byn Daniel Yarnie, its Manager
	(Signature)
3.	OWNER OF RECORD INFORMATION (IF DIFFERENT FROM APPLICANT)
a.	Daniel Yarnie
u.	Name(s)
b.	89 West Main Street, Unit 101, Northborough, MA 01532
	Mailing Address(es)
d.	jsmith@bowditch.com; (508) 926-3464
	Email and Phone Number

Division of Planning & Regulatory Services 455 Main St., 4th Floor, Worcester, MA 01608 Office 508-799-1400 – Fax 508-799-1406

a. Joshua Lee Smith, Esq. Name(s) Signature(s) c. 311 Main Street, Worcester, MA 01608 Mailing Address(es) d. jsmith@bowditch.com; (508) 926-3464 **Email and Phone Number** e. Attorney Relation to Project (Architect/Attorney/Engineer/Contractor, etc.) 5. AUTHORIZATION Authorization I, Polar Views LLC and Daniel Yarnie, Owner of Record of the property listed with the 00036 Assessing Division of the City of Worcester, Massachusetts as Map $\underline{06}$ Block $\underline{012}$ Lot(s) $\underline{00055}$, do hereby authorize <u>Joshua Lee Smith, Esq.</u> to file this application with the Division of Planning & Regulatory Services of the City of Worcester on this the day of , Daniel Yarnie, its Manager Daniel Yarnie , 20 24 , before me personally appeared , to me known to be the person described in and who executed the foregoing instrument and acknowledged that they executed the same as their free act and deed:" **NOTARY PUBLIC**

(If there is more than one owner of the land to be considered in this application, denotorized authorization is required for each owner.)

My Commission Expires:

4. REPRESENTATIVE INFORMATION

6.	PROVIDE THE FOLLOWING ITEMS, 1 DIGITAL COPY IN PDF FORMAT VIA EMAIL TO planning@worcesterma.gov AND CONFIRM WITH STAFF BEFORE SUBMISSION OF 1 PHYSICAL COPY BY HAND DELIVERY OR MAIL:							
		Zoning Determination Form obtained from the Inspectional Services Division (email <u>inspections@worcesterma.gov</u> or call 508 – 799 – 1198 for more information)						
		Completed Site Plan Application, signed by all parties involved.						
		Completed Tax Certification for the Applicant and Owner (if different) are attached (page 4)						
		If the applicant is NOT the Owner, the Owner(s) Authorization for the applicant to apply is attached (page 2)						
		A Certified Abutters List(s) issued within 3 months of this application's filing date which includes all properties affected and includes any contiguous, commonly owned property(s). This can be <u>obtained from the Assessor's Office</u> and includes all abutters and abutters to abutters within 300' of the edge of the land owner's property.						
		Note: if the property(s) is within 300 ft. of another town an abutters list from that town may be required						
		Project Impact Statement describing the proposed project and analyzing how the project and site layout were designed with consideration for and to be compatible with the review criteria in the Zoning Ordinance.						
		Site Plan showing the full project scope and all elements listed in Item 11 of this application, stamped and signed by all applicable professionals						
		Architectural drawings showing exterior elevation, height in feet and stories, exterior materials for all structures, and corresponding floor plans stamped and signed by all applicable professionals						
		Stormwater Report demonstrating compliance with Massachusetts Stormwater Standards for the project, as applicable based on project type and scope <i>(contact staff to confirm)</i>						
		Traffic Study, if necessary based on expected traffic generation (contact staff to confirm)						
7.	PRO	VIDE 1 PHYSICAL COPY OF THE FOLLOWING ITEMS:						
		One stamped (i.e. postage paid) pre-addressed envelope for <i>each</i> party on the Abutters List and the applicant (if different from the owner), with the following return address:						
		Division of Planning and Regulatory Services 455 Main Street (City Hall), Room 404 Worcester, MA 01608						
		Filing Fee of \$ is enclosed (see fee schedule or contact staff to confirm amount).						

8. TAX CERTIFICATION This certification must be completed by all applicants and owners of the property, certifying payment of all local taxes, fees, assessments, betterments, or any other municipal charges of any kind. Failure to include a completed certification shall result in the application being deemed incomplete. If a Single Owner or Proprietorship: Daniel Yarnie Name b. Signature certifying payment of all municipal charges c. 89 West Main Street, Unit 101, Northborough, MA 01532 **Mailing Address** d. jsmith@bowditch.com; (508) 926-3464 **Email and Phone Number** 9. IF A PARTNERSHIP OR MULTIPLE OWNERS: Names f. Signatures certifying payment of all municipal charges Mailing Address **Email and Phone Number** Applicant, if different from owner: i. Printed Name & Signature of Applicant, certifying payment of all municipal charges If a Corporation or Trust: j. Polar Views LLC Full Legal Name 89 West Main Street, Unit 101, Northborough, MA 01532 k. MA State of Incorporation **Principal Place of Business** 1. 89 West Main Street, Unit 101, Northborough, MA 01/532 Mailing Address or Place of Business in Massachusetts Polar Views LJ , Daniel Yarnie, its Manager m. Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges

Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges

Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges

Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges

n.

10. PROJECT TYPE AND DESCRIPTION

a. Existing Conditions. Describe the current/existing use of the property

216 Chandler last contained a dilapidated mixed-use building that was unoccupied for years and was recently razed and removed. 221 Chandler Street is a small retail plaza known as Keystone Plaza containing an approximately 35,537 square foot commercial building and 50+/- parking spaces with limited landscaping features.

b. Proposed Conditions. Check the box for all of the categories that describe the proposed project:

Proposed Project Type					15
Residential	X	New Construction	X	Lodging House	
Industrial/manufacturing		Rehabilitation/Renovation		Historic Property	
Business	X	Expansion/Addition		Abuts Historic Property	
Mixed Use	X	Change of use		Billboard	
Subdivision		Drive-through		Airport Environs Overlay	
		Gas station		≥15% Slope Disturbed	

c. Describe the proposed use of the property (attach separate narrative if needed)

Construct and develop a mixed-use Eligible Development, consisting of a new approximately 29,497 gross square foot 6-story building (the "New Building") that will contain 21 dwelling units within 5 stories and approximately 2,920 square feet of commercial retail space on the ground level. The New Building will contain a mix of 1- and 2-bedroom apartments and a 6-bedroom penthouse suite on the top floor, roof garden, fitness rooms, lobby and lounge areas, and other common and amenity areas.

d. Fill in all information relevant to the proposed project 216 Chandler Street

All Projects	Existing	Change +/-	Total
Overall lot size in square feet	6,354	No change	6,354
Number of buildings	0	+1	1
Total square footage of building(s)	N/A	+29,497	29,497+/-
Number of stories of building(s)	N/A	+6	6
Number of parking spaces	0	21 at 221 Chandler	21
Number of loading spaces	0	0	1 noncompliant spa
Changes to on-street parking			
Total vehicle daily trips. Please consult staff for specific thresholds requiring review.			
Square feet of wetlands			
Square feet of surface (open) water			
Square feet of area vegetated/wooded			
Number of trees over 9" in caliper			
Cubic yards of fill material to be imported/exported			
Square feet of property in floodplain			
Length of roadway (in feet or miles)			
Residential	Existing	Change +/-	Total
Number of units	0	+21	21
If multi-family, number of bedrooms per unit			
Number of accessible units			
Number of affordable units		+4	4
Business/ Industrial	Existing	Change +/-	Total
Gross square feet of floor area	0	+2,920	2,920

10. PROJECT TYPE AND DESCRIPTION

a. Existing Conditions. Describe the current/existing use of the property

216 Chandler last contained a dilapidated mixed-use building that was unoccupied for years and was recently razed and removed. 221 Chandler Street is a small commercial plaza known as Keystone Plaza containing an approximately 35,537 square foot commercial building and 50+/- parking spaces with limited landscaping features.

p. Proposed Conditions. Check the box for all of the categories that describe the proposed project:

Proposed Project Type			SOUR ENGINEER		
Residential	X	New Construction	X	Lodging House	
Industrial/manufacturing		Rehabilitation/Renovation		Historic Property	
Business	X	Expansion/Addition		Abuts Historic Property	
Mixed Use	X	Change of use		Billboard	
Subdivision		Drive-through		Airport Environs Overlay	
		Gas station		≥15% Slope Disturbed	

c. Describe the proposed use of the property (attach separate narrative if needed)

Construct and develop a mixed-use Eligible Development, consisting of a new approximately 29,497 gross square foot 6-story building (the "New Building") that will contain 21 dwelling units within 5 stories and approximately 2,920 square feet of commercial retail space on the ground level. The New Building will contain a mix of 1- and 2-bedroom apartments and a 6-bedroom penthouse suite on the top floor, roof garden, fitness rooms, lobby and lounge areas, and other common and amenity areas.

d. Fill in all information relevant to the proposed project 221 Chandler Street

All Projects	Existing	Change +/-	Total
Overall lot size in square feet	41,673	No change	41,673+/-
Number of buildings	1	No change	1
Total square footage of building(s)	35,537	No change	35,537+/-
Number of stories of building(s)	N/A	+6	6
Number of parking spaces	50+/-	No change	29 (for 221 Chandler); 21 (for 216 Chandler)
Number of loading spaces	0	0	1 noncompliant spa
Changes to on-street parking			
Total vehicle daily trips. Please consult staff for specific thresholds requiring review.			
Square feet of wetlands			
Square feet of surface (open) water			
Square feet of area vegetated/wooded			
Number of trees over 9" in caliper			
Cubic yards of fill material to be imported/exported			
Square feet of property in floodplain			
Length of roadway (in feet or miles)			
Residential	Existing	Change +/-	Total
Number of units			
If multi-family, number of bedrooms per unit			
Number of accessible units			
Number of affordable units			
Business/ Industrial	Existing	Change +/-	Total
Gross square feet of floor area			

11. ZONING

Type of Relief			Date	e Approved
PERMITS REQUIRED				
List any Federal, State, or Cit sought. Please continue list of Agency Name	-	-	File Num	
Zoning Board of Appeals	Special Permits and	Variance TBD		
	ired of all applications su	Ihmittad for Sita Plan Raview	If you are a	oot providing on
following information is requ		bmitted for Site Plan Review	Waiver	Location in Se
following information is requise, please check "waiver requirecture	ested" next to the item.			Location in Set (Sheet/ page #
following information is requise, please check "waiver requirefeature Site Plan at a minimum 1" = 4	ested" next to the item.		Waiver	Location in Set (Sheet/ page # Sheet 4
following information is requise, please check "waiver requise. Feature Site Plan at a minimum 1" = 4 Locus plan with zoning inform	ested" next to the item.		Waiver	Location in Set (Sheet/ page # Sheet 4 Sheets 4-5
following information is requise, please check "waiver requirefeature Site Plan at a minimum 1" = 4 Locus plan with zoning inform Existing utilities	ested" next to the item. 10'-0" scale, legend, & pronation shown	operly oriented north arrow	Waiver	Sheet 4 Sheets 4-5 Sheet 7
following information is requise, please check "waiver require" Feature Site Plan at a minimum 1" = 4 Locus plan with zoning inform Existing utilities Existing and proposed grading	ested" next to the item. 10'-0" scale, legend, & pronation shown g using differing linetype	operly oriented north arrow	Waiver	Sheet 4 Sheets 4-5 Sheet 7 Sheet 6
following information is requise, please check "waiver require" Feature Site Plan at a minimum 1" = 4 Locus plan with zoning inform Existing utilities Existing and proposed grading	ested" next to the item. 10'-0" scale, legend, & pronation shown g using differing linetype an (including test-pit/bo	operly oriented north arrow s, showing 2' contours ring locations)	Waiver Requested	Sheet 4 Sheets 4-5 Sheet 7
Feature Site Plan at a minimum 1" = 4 Locus plan with zoning inform Existing utilities Existing and proposed grading Soil types identified on the plan at a minimum on the plan at a minimum 1" = 4 Location of all trees over 9" of the plan at a minimum 1" = 4 Location of all t	ested" next to the item. 10'-0" scale, legend, & pronation shown g using differing linetype an (including test-pit/boaliper inches on existing	operly oriented north arrow s, showing 2' contours ring locations) conditions plan	Waiver	Sheet 4 Sheet 4 Sheet 4 Sheet 7 Sheet 6 Sheet 9
Feature Site Plan at a minimum 1" = 4 Locus plan with zoning inform Existing utilities Existing and proposed grading Soil types identified on the plan at the	ested" next to the item. 10'-0" scale, legend, & pro- nation shown g using differing linetype an (including test-pit/bo aliper inches on existing nderings (including exter	operly oriented north arrow s, showing 2' contours ring locations) conditions plan ior materials)	Waiver Requested	Sheet 4 Sheet 4 Sheet 4 Sheet 7 Sheet 6 Sheet 9
Feature Site Plan at a minimum 1" = 4 Locus plan with zoning inform Existing utilities Existing and proposed grading Soil types identified on the plant types identified on types identified on the plant types identified on the plant types identified on types identified on types identified on types ide	ested" next to the item. 10'-0" scale, legend, & pronation shown g using differing linetype lan (including test-pit/bo aliper inches on existing inderings (including exterior inches), and details for all	operly oriented north arrow s, showing 2' contours ring locations) conditions plan rior materials) landscape elements red per dwelling unit and a	Waiver Requested	Sheet 4 Sheet 4 Sheet 5 Sheet 7 Sheet 6 Sheet 9
Site Plan at a minimum 1" = 4 Locus plan with zoning inform Existing utilities Existing and proposed grading Soil types identified on the plant	ested" next to the item. 10'-0" scale, legend, & pronation shown g using differing linetype an (including test-pit/bo aliper inches on existing nderings (including externtings, and details for all sland effect. (1 tree requirevery 10 interior parking	operly oriented north arrow s, showing 2' contours ring locations) conditions plan ior materials) landscape elements red per dwelling unit and a gapaces, 3.5" caliper size)	Waiver Requested	Sheet 4 Sheet 4 Sheet 5 Sheet 7 Sheet 6 Sheet 9

k. For multi-family residential dwellings in B zones, 10% of site area has been

provided for recreation. Note: See Article IV, Section 2, Table 4.2, footnote 3.

Sheet 4

14. REVIEW STANDARDS

The following standards shall be used by the Planning Board in reviewing all applications for site plan review. These standards are intended to provide a frame of reference for the applicant in development of applications. These standards shall not be regarded as inflexible requirements. They are not intended to discourage creativity, invention or innovation. Applicants are encouraged to evaluate the extent to which the site plan, its immediate and general locus and the City more generally can tolerate the development being proposed and adjust their proposals accordingly.

Applicants should additionally <u>provide a narrative "project impact statement"</u> summarizing how the proposed project has been designed with the following criteria in mind by evaluating their proposal on the basis of the following 16 review standards, as outlined in the Zoning Ordinance per Article V, Section 5, B.

Provide the following information about the proposed project in relation to the review standards. If you are not providing one of these features please check "none" next to the item.

1. Adequacy and arrangement of pedestrian traffic access and circulation, walkway structures, control of intersections with vehicular traffic and overall pedestrian convenience.

Feature	None	Page/ sheet #
Pedestrian pathways internal to the site, with dimensions of path widths		Sheets 4-5
Pedestrian pathways connecting to sidewalks or nearby amenities		Sheets 4-5
Doors/egress to all existing and proposed buildings		Sheets 4-5
Pedestrian paving and surface treatment details		Sheets 4-5
Safe, ADA accessible pedestrian crossings at driveways and intersections		Sheets 4-5

2. Adequacy and arrangement of vehicular traffic access and circulation including intersections, road widths, pavement surfaces, dividers and traffic controls.

	Feature	None	Page/ sheet #
Э.	Driveway layout & materials		Sheet 10
ο.	Dimensions of all drives and curb cut widths, minimizing the number and width of curb-cuts (see Note 5 to Table 4.4)		Sheets 4-5
	Access control and directional signage (e.g. gates, pavement markings, etc.))	X	
	Pavement and curb details, including level sidewalks at driveways		Sheet 10
€.	Permeable or porous paving, and/ or cool pavements/ treatments	X	

3. Location, arrangement, appearance and sufficiency of off-street parking and loading.

	Feature	None	Page/ sheet #
a.	Number of parking spaces provided (9 x 18)		Sheet 5
b.	Number of compact parking spaces (8 x16)		Sheet 5
c.	ADA parking spaces		Sheet 5
d.	Parking aisle width (24 feet for 90° parking; see policy for angled spaces)		Sheet 5
e.	Parking is outside front & exterior side yard/setback (except residential drives)		Sheet 5
f.	Loading spaces or docks (see Table 4.5 and related notes)		Sheet 4
g.	Screen planting between parking and edge of property or pedestrian paths		Sheet 8
h.	Number of electric vehicle charging stations or "ready" (conduit run) spaces		Sheet 5
i.	Bicycle parking (is it covered, or provided inside the building? Circle: YES NO)		

4.	Loca	ation, arrangement, size, design and general site compatibility of buildings, light Feature	None	
	2		None	Page/ sheet #
	a.	Building entrance fronting on the sidewalk Front façade with features to add visual interest and activate street	│ <u></u>	Sheets 4-5
	b.	(e.g., window placement, variation of materials, reduction in massing, etc.)		Arch Plans
	c.	Green roof, blue roof, rooftop solar, or use of high-albedo roof treatments	X	
	d.	Light levels appropriate for safety (1 foot candle) where pedestrians and vehicles will meet	X	
	e.	Parking and circulation directional signage	X	
	f.	Signage facing the street		Sheet 3
5.	Ade	quacy of stormwater and drainage facilities.		
71	, , , ,	Feature	None	Page/ sheet #
	a.	Flood Zones, wetlands, watercourses, and water quality and wellhead protection areas	П	Drainage Maps
	b.	Bioswale or other open stormwater infiltration area planted with native vegetation (rain garden, etc.)	П	Drainage Maps
	c.	Infiltration of clean runoff to maintain groundwater supply		Drainage Repor
	d.	Overflow or other connection to City stormwater infrastructure***		Drainage Repor
		***Contact DWP&P to determine any applicable sewer connection or use change	fees.	1
6.	Ada	rugey of water supply and savverage disposal facilities		
о.	Aue	quacy of water supply and sewerage disposal facilities. Feature	None	Page/sheet#
	a.	Connections to or extensions of city sanitary sewer and water utilities. <i>Contact</i>	INOTIC	
		DWP&P to determine any applicable sewer connection or use change fees.	Ш	Drainage Report
	b.	Connections to or extensions of city storm drainage infrastructure		Drainage Report
	c.	Footing or foundation drainage for a proposed structure or wall		Drainage Report
7.		quacy, type and arrangement of trees, shrubs and other landscaping eleme lscaping Design Standards set forth in Article V, Section-5(C).	nts in a	accordance with the
		Feature	None	Page/ sheet #
	a.	Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.		Arch Plans
	b.	Engineered slopes (rip-rap is not recommended)		Sheet 6
	c.	Planted buffers between parking facilities and adjacent properties or roads		Sheet 8
	d.	Proposed plantings and areas to be seeded (number, species or mix, size)		Sheet 8
	e.	Fencing, including information on material, height, and style (including gates)	X	
	f.	Planted buffers along rear and side yard setbacks		Sheet 8
_				_
8.		e case of an apartment complex or other multiple dwelling, the adequacy of us a space. Note: for residential uses in Business Districts see Article IV, Section 2, Table 4.2, for		common property or
		Feature	None	Page/ sheet #
	a.	Outdoor seating (i.e. benches, seat walls, picnic tables, etc.)	X	
	b.	Recreation or play area (Is it designed for children/ families? Circle: YES NO)		Sheet 4
	c.	Raised beds for a community garden or other urban agriculture provisions	X	
	d.	Paved pedestrian plaza area (includes patios) or deck	X	
	e.	Interior common space and amenities or balconies	П	Arch Plans

	Feature Section 1997	None/	Page/ sheet #
a.	Plan locating all existing (to remain) & proposed light fixtures	X	
b.	Details of all proposed light fixtures: showing max temperature of 4,000K, dark-sky compliant, and with shielding to prevent light spillover	X	
c.	Photometric plan for parking lots with ≥12 new spaces	X	
d.	Opaque fencing or evergreen planting to screen trash or utility areas (including siting and screening of roof-top equipment, as applicable)	X	
e.	Sound attenuation at loading, utility, and other noise generating areas with particular attention to sensitive neighbors	X	
f.	Limit of clearing, with mature vegetation protected where possible	X	
Ade	quacy of fire lanes and other emergency zones and the provisions of fire hydra	nts.	
	Feature	None	Page/ sheet #
a.	Diagram of fire truck access path (applicant should coordinate turning radius and access requirements with the Fire Department)		Box Truck Plan
b.	Clearly marked fire or emergency loading areas	X	
c.	Fire hydrants and/or FDC connections		Arch Plans
	cial attention to the adequacy of structures, roadways and landscaping in a ding, flooding and/or erosion. Feature	None	Page/ sheet #
	ding, flooding and/or erosion.		
	ding, flooding and/or erosion. Feature		Page/ sheet #
a.	ding, flooding and/or erosion. Feature All buildings and utilities are located at or above the 500-year flood elevation		Page/ sheet # Drainage Repo
oon	ding, flooding and/or erosion. Feature		Page/ sheet # Drainage Repo
a. b.	ding, flooding and/or erosion. Feature All buildings and utilities are located at or above the 500-year flood elevation	None	Page/ sheet # Drainage Report
a. b.	ding, flooding and/or erosion. Feature All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff	None	Page/ sheet # Drainage Report Drainage Report
a. b.	Feature All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and	None	Page/ sheet # Drainage Reportange
a. b.	Feature All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities Plans for securing of any stockpiles on site during construction	None	Page/ sheet # Drainage Reportainage Reportai
a. b.	Feature All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities	None after co	Page/ sheet # Drainage Reportainage Reportai
a. b. Ade b.	ding, flooding and/or erosion. Feature All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities Plans for securing of any stockpiles on site during construction Temporary and permanent slope stabilization/designs for slopes greater	None after co	Page/ sheet # Drainage Reportant Report
a. b. Ade a. c.	Feature All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities Plans for securing of any stockpiles on site during construction Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient)	None after co	Page/ sheet # Drainage Reportant Report
a. b. Ade b. c. d.	Feature All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities Plans for securing of any stockpiles on site during construction Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient) Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient) Temporary sediment basins and other means of stormwater velocity attenuation or conveyance proposed during construction formance and compatibility of the site plan design with structures listed in the	None After co	Page/ sheet # Drainage Report Drainage Report Drainage Report Drainage Report Drainage Report Sheet 9 Sheet 9
a. b. Ade b. c. d.	Feature All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and Feature Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities Plans for securing of any stockpiles on site during construction Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient) Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient) Temporary sediment basins and other means of stormwater velocity attenuation or conveyance proposed during construction	None After co	Page/ sheet # Drainage Report Drainage Report Drainage Report Drainage Report Drainage Report Sheet 9 Sheet 9
a. b. Ade b. c. d.	All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff quacy of erosion and sedimentation control measures to be utilized during and temporary stormwater management) for construction activities Plans for securing of any stockpiles on site during construction Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient) Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient) Temporary sediment basins and other means of stormwater velocity attenuation or conveyance proposed during construction formance and compatibility of the site plan design with structures listed in the istoric Places.	None after co None X X most re	Page/ sheet # Drainage Report Drainage Report Drainage Report Drainage Report Drainage Report Sheet 9 Sheet 9 Sheet 9

	Feature	None	Page/ sheet #
ì.	Bus service within ¼ mile (indicate number of stops and route numbers)		Statement in Supp
).	Improvements to neighborhood walk/bike-ability or public transportation		Statement in Supp
de	quacy of plans and protective measures to ensure minimal risk of contaminati	on to surf	ace or ground water.
	Feature	None	Page/ sheet #
i.	Snow storage locations (outside of basins and required parking/landscape buffer)	X	
).	Water quality structures to remove total suspended solids (TSS) from runoff		Drainage Report
	Water quality structures to remove pollutants from runoff (i.e. oil/ water separators, etc.)		Drainage Report
l.	Plan for mitigation of any contaminated soils (include RTN, RAM Plan, AUL)	X	
	Locations of material to cut or filled (including the location of the source material if fill)		Sheet 9
	Dewatering plans		Drainage Report
onf	ormance of the site design with the purposes and intent of the Worcester Zo	ning Ordi	nance.
	Feature	None	Page/ sheet #
.	Minimum yard setbacks (for front, side, and rear)		Sheets 4-5
	Property and right-of-way boundary lines (include the status of ways)		Sheets 4-5
.	Easements for any utilities, public access, or adjacent properties		Sheets 4-5
	Regularity factor for all lots		Sheets 4-5
.	% paving within the front-yard for residential uses	X	
- 1			