

DEFINITIVE SITE PLAN **15 GARDNER STREET** WORCESTER, MA

JULY 22, 2024

2- EXISTING CONDITION & DEMOLITION PLAN 3-PROPOSED SITE PLAN & PARKING

> 17-MANHOLE COVERS SHALL BE MARKED SEWER OR DRAIN. 18-TACK COAT REQUIRED BETWEEN COURSES.

19-TOP SOIL IS TO BE REMOVED FROM ALL AREAS OF CUT AND FILL AND BE STOCKPILED WITHIN THE PROJECT LIMIT FOR REUSE. ALL D AREAS ARE TO BE RESTORED WITH A MIN. OF 6" OF TOP SOIL AND SEEDED. ANY EXCESS MATERIAL WILL BE REMOVED AND DISPOSED (20-WATER LINE PIPE AND CONNECTION SHALL BE IN CONFORMANCE WITH CITY OF WORCESTER STANDARDS, WITH A MINIMUM OF 5.0' OF

21-SANITARY SEWER PIPE TO BE SDR-35 PVC.


22-PAVEMENT SURFACE SHALL CONSIST OF 4" BITUMNOUS CONCRETE (2.5' BINDER + 1.5" TOP)


23-THE PROJECT IS NOT WITHIN A 100-YEAR FLOOD PLAIN.

24-ACCUMULATED SNOW BEYOND THE REASONALBLE CAPACITY OF THE AREA DESIGNATED FOR SNOW STORAGE SHALL BE REMOVED AND OFF SITE.

24-BENCH MARK ELEVATION ARE AS INDICATED ON THE PLAN.

25-ALL SHALLOW COVER PIPES (LESS THAN 2 FT)SHALL BE REPLACED WITH IDENTICAL SIZE USING DUCTILE IRON PIPE.





DISTURBED OFF SITE. COVER. - D DISPOSED -	REVI NO. 1 2 3	SIONS DESCRIPTION Review Comments 7/31/24 Trash Bin Location Review Comments	DATE 8/11/24 10/22/24 11/11/24
OFF SITE COVER	1 2	Review Comments 7/31/24 Trash Bin Location	8/11/24 10/22/24
COVER.	1 2 3	Trash Bin Location	10/22/24
-	2 3		
- D DISPOSED -	3	Review Comments	11/11/24
D DISPOSED -			
	ROD PI A SI (9	EPARED FOR: RIGO HULKFINISH REPARED BY: .S. ENGINEERING HREWSBURY, MA 078)-377-5084 oeazi1100@yahoo.com	SHEET 1 OF 8


 EROSION CONTROL PLAN 1- EROSION CONTROLS MEASURES SHOULD BE IN PLACE BEFORE THE LAND DISTURBANCE, AND SHOULD NOT BE REMOVE UNTIL ALL CONSTRUCTION ACTIVITIES ARE COMPLETED. 2- THE EROSION CONTROLS SHOULD BE MAINTAIN ON A REGULAR BASES TO PREVENT ACCUMULATION OF SEDIMENTS. 	
 3- THE ENTRANCE AND EXIT AREAS TO THE PROPOSED SITE SHOULD BE STABILIZE BY USING CRUSH STONE OR OTHER EFFECTIVE MEASURES. 4- SEDIMENTS WHICH ARE TRACKED INTO THE PUBLIC WAYS SHOULD BE REMOVED ON A DAILY BASES. 	
CONSTRUCTION NOTES: 1-ALL EXCAVATED MATERIAL SHALL BE LIVE-LOADED FROM THE SITE. THERE SHALL BE NO TEMPORARY STOCK PILE OF MATERIAL ON SITE.	
2-AFTER MOBILIZATION TO THE SITE THE HIGH WATER TABLE & SOIL TYPE AT THE LOCATION OF THE INFILTRATION SYSTEM SHALL BE ESTABLISHED USING THE SERVICES OF A CERTIFIED SOIL EVALUATOR TO CONFIRM THE ADEQUACY OF THE RECHARGE SYSTEM DESGIN SHOWN. IT IS THE RESPONSIBLILITY OF THE CONTRACTOR TO COORDINATE THE INSTALLATION OF THE SYSTEM WITH THE ENGINEER FOR TESTING AND INSPECTION IN ORDER TO CERTIFIED FOR CONFORMANCE WITH DESIGN PLANS	COMB MH RIM 508.97
3- FINAL GRADING SHALL NOT EXCEED 2.5H:1V.	
TREE PROTECTION NOTES: 1-ALL TREES SHOWN TO BE RETAINED, SHALL BE PROTECTED BY INSTALL 6 FOOT WOOD FENCING AND ORENGE CONSTRUCTION FENCE AROUND THE TRUNK	WG GG GG GG
EROSION CONTROL MAT NOTES: 1-ALL DISTURBED WITH SLOPES OF 4H:1V AND IN THE AREAS SHOWN SHALL BE COVERED WITH LONG TERM BIONET C125N EROSION CONTROL BLANKET.	
SOIL TEST LOCATIO)NS
SOIL TYPE NOTE:	COMB MH
BASED ON THE SOIL TEST REPORT DATED 3/9/24 PREPARI ROBERT J. DUFF, P.E.(SE # 0635) THE SITE SOIL HAS BEEN CHARACTERIZED AS SANDY LOAM, OVERLAID WITH UR	GENERALLY BAN FILL RIM 503.07
	$\mathbb{W}^{\mathbb{W}}$
	<pre>> Install Silt) </pre>
	Within 100' of
	C the Project Limits CB \prec
	RIM 500.71
	Existing Masonry
	> Wall Along the back
	<pre></pre>
	annun

PROPOSED RETAINING WALLS & MAINTENANCE:

THE OWNER SHALL SECURE AN EASEMENT FOR CONSTRUCTION AND MAINTENACE OF THE PROPOSED RETAINING WALLS ALONG THE COMMON PROPERTY LINES.

NOTE:

ALL EXISTING SITE CONDITION INFORMATION ARE BASED ON A PLAN BY HS&T GROUP, INC. DATED 5/29/24.







FOR

15 GARDNER STREET WORCESTER, MA PREPARED FOR:

RODRIGO HULKFINISH

PREPARED BY: A.S. ENGINEERING SHREWSBURY, MA (978)-377-5084 moeazi1100@yahoo.com


DATED : 7/22/24 **REVISION NO.**


SHEET 2 OF 8


SCALE 1" = 20'

8/11/24 10/22/24 11/11/24


DATE







Total and the second seco	
Dia. NYLOPLAST Basin Equal W/12" Sump Rim=501.40 in (4" Perf.)= 498.16 Out(6" DR-18)=497.66	
TW $\overline{A7}$ 505.47 B PVC LF S=0.02	MAHMOOD AZIZI CIVIL 41410
	SITE DRAINAGE PLAN
	FOR
	15 GARDNER STREET WORCESTER, MA PREPARED FOR: RODRIGO HULKFINISH
	PREPARED BY: A.S. ENGINEERING SHREWSBURY, MA (978)-377-5084 moeazi1100@yahoo.com
SCALE 1" = 10'	DATED : 7/22/24 SHEET 5 OF 8 REVISION NO. DATE 1 8/11/24 2 10/22/24



SITE UTILITY

15 GARDNER STREET

SHEET 6 OF 8

