(For office use only: Project Number: PB-20	)
---	---

## City of Worcester Planning Board



## **DEFINITIVE SITE PLAN APPLICATION**

Division of Planning & Regulatory Services
City Hall, 455 Main Street, Room 404, Worcester, MA 01608

Phone: (508) 799-1400 x 31440 - Fax: (508) 799-1406 - E-mail: planning@worcesterma.gov (preferred)

	( )
1.	PROPERTY INFORMATION
a.	3 Eaton Place
	Address(es) – please list all addresses the subject property is known by
b.	Map 2 Block 23B Lot 00A-1
	Parcel ID or Map-Block-Lot (MBL) Number
c.	Worcester District Registry of Deeds, Book 67472  Current Owner(s) Recorded Deed/Title Reference(s)
d.	BG-6 and CCOD-D Overlay
	Zoning District and all Zoning Overlay Districts (if any)
2.	APPLICANT INFORMATION
a.	Foresight Capital LLC
	Name(s)
b.	125 Goff Avenue #2101 Providence, RI 02860
	Mailing Address(es)
c.	Rebecca Spencer usa@fndev.com 401-305-2064
d.	Email and Phone Number(s) Owner/Developer
	Interest in Property (e.g., Lessee, Purchaser, etc.)
	I certify that I am requesting the Worcester Planning Board grant the Definitive Site Plan as described below
	(Signature)
3.	OWNER OF RECORD INFORMATION (IF DIFFERENT FROM APPLICANT)
	Same as Applicant
	Name(s)
b.	
	Mailing Address(es)
d.	
	Fmail and Phone Number

4.	REPRESENTATIVE INFORMATION
a.	Joseph D. Peznola, P.E. Hancock Associates, Inc.
b.	Signature(s)
c.	315 Elm Street Marlborough, MA 01752  Mailing Address(es)
d.	jpeznola@hancockassociates.com 508-460-1111
e.	Project Civil Engineer  Relation to Project (Architect/Attorney/Engineer/Contractor, etc.)
5.	AUTHORIZATION
Aut	thorization I, Rebecca Spencer , Owner of Record of the property listed with the
Ass	essing Division of the City of Worcester, Massachusetts as Map $\frac{2}{2}$ Block $\frac{23B}{200}$ Lot(s) $\frac{00A-1}{200}$ , do hereby
aut	horize Hancock Associates, Inc. to file this application with the Division of Planning & Regulatory
Ser	vices of the City of Worcester on this the 28 day of September, 2023
On R	this 26th day of September 2023, before me personally appeared ebecca Spencer, to me known to be the person described in and who executed the foregoing
inst	rument and acknowledged that they executed the same as their free act and deed.
	acelli
(If t	My Commission Expires August 9, 2026 #769194  here is more than one owner of the land to be considered in this application, a notarized authorization is required for howner.)
1	

6.	PLA	OVIDE THE FOLLOWING ITEMS, 1 DIGITAL COPY IN PDF FORMAT VIA EMAIL TO NOTIFIED BY BY HAND DELIVERY OR MAIL:
		<b>Zoning Determination Form</b> obtained from the Inspectional Services Division (email <u>inspections@worcesterma.gov</u> or call 508 – 799 – 1198 for more information)
		Completed Site Plan Application, signed by all parties involved.
		Completed Tax Certification for the Applicant and Owner (if different) are attached (page 4)
		If the applicant is NOT the Owner, the Owner(s) Authorization for the applicant to apply is attached (page 2)
		A <b>Certified Abutters List(s)</b> issued within 3 months of this application's filing date which includes all properties affected and includes any contiguous, commonly owned property(s). This can be <u>obtained from the Assessor's Office</u> and includes all abutters and abutters to abutters within 300' of the edge of the land owner's property.
		Note: if the property(s) is within 300 ft. of another town an abutters list from that town may be required
		<b>Project Impact Statement</b> describing the proposed project and analyzing how the project and site layout were designed with consideration for and to be compatible with the review criteria in the Zoning Ordinance.
		<b>Site Plan</b> showing the full project scope and all elements listed in Item 11 of this application, stamped and signed by all applicable professionals
		Architectural drawings showing exterior elevation, height in feet and stories, exterior materials for all structures, and corresponding floor plans stamped and signed by all applicable professionals
		<b>Stormwater Report</b> demonstrating compliance with Massachusetts Stormwater Standards for the project, as applicable based on project type and scope (contact staff to confirm)
		Traffic Study, if necessary based on expected traffic generation (contact staff to confirm)
7.	PRO	OVIDE 1 PHYSICAL COPY OF THE FOLLOWING ITEMS:
		One stamped (i.e. postage paid) pre-addressed envelope for <i>each</i> party on the Abutters List and the applicant (if different from the owner), with the following return address:
		Division of Planning and Regulatory Services 455 Main Street (City Hall), Room 404 Worcester, MA 01608
		Filing Fee of \$ TBD is enclosed (see fee schedule or contact staff to confirm amount).

# 8. TAX CERTIFICATION This certification must be completed by all applicants and owners of the property, certifying payment of all local taxes, fees, assessments, betterments, or any other municipal charges of any kind. Failure to include a completed certification shall result in the application being deemed incomplete. If a Single Owner or Proprietorship: Rebecca Spencer Name b. Signature certifying payment of all municipal charges 125 Goff Ave OFC 2101, Pawtucket, RI 02860 Mailing Address d. E: usa@fndev.com T: (401) 305-2064 **Email and Phone Number** 9. IF A PARTNERSHIP OR MULTIPLE OWNERS: e. Names f. Signatures certifying payment of all municipal charges Mailing Address h. **Email and Phone Number** Applicant, if different from owner: i. Printed Name & Signature of Applicant, certifying payment of all municipal charges If a Corporation or Trust: j, Full Legal Name k. State of Incorporation Principal Place of Business Mailing Address or Place of Business in Massachusetts m.

Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges

Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges

Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges

Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges

0.

p.

#### 10. PROJECT TYPE AND DESCRIPTION

a. Existing Conditions. Describe the current/existing use of the property

The project calls for the construction of a seven-story mixed residential and commercial development with

16,460 square feet of commercial space on the ground floor and 145 1-bedroom, 2-bedroom and studio

apartments on all floors.

b. Proposed Conditions. Check the box for all of the categories that describe the proposed project:

Proposed Project Type						
Residential		New Construction		Lodging House	Г	
Industrial/manufacturing		Rehabilitation/Renovation		Historic Property		
Business		Expansion/Addition		Abuts Historic Property		
Mixed Use	1	Change of use		Billboard		
Subdivision		Drive-through		Airport Environs Overlay		
		Gas station		≥15% Slope Disturbed		

c. Describe the proposed use of the property (attach separate narrative if needed)

Residential rental apartments

## Commercial (restaurant, retail)

d. Fill in all information relevant to the proposed project

All Projects	Existing	Change +/-	Total
Overall lot size in square feet	53,425	0	53,425
Number of buildings	0	1	1
Total square footage of building(s)	0	199,900	199,900
Number of stories of building(s)	0	7	7
Number of parking spaces	0	0	0
Number of loading spaces	0	1	1
Changes to on-street parking	0	0	0
Total vehicle daily trips. Please consult staff for specific thresholds requiring review.	SEE ATTACHED	SEE ATTACHED	SEE ATTACHED
Square feet of wetlands	0	0	0
Square feet of surface (open) water	0	0	0
Square feet of area vegetated/wooded	0	0	0
Number of trees over 9" in caliper	0	0	0
Cubic yards of fill material to be imported/exported		4,900± CY	4,900 CY EXPORTED
Square feet of property in floodplain	0	0	0
Length of roadway (in feet or miles)	0	0	0
Residential	Existing	Change +/-	Total
Number of units	0	145	145
If multi-family, number of bedrooms per unit	-	1.10	1.10
Number of accessible units	0	8	8 from ground level
Number of affordable units	0	0	0
Business/ Industrial	Existing	Change +/-	Total
Gross square feet of floor area	0	33,230	33,230

#### 11. ZONING

If this project has already been granted Zoning Relief by the Zoning Board of Appeals, please list the relief below:

Type of Relief	Date Approved
NONE	

## 12. PERMITS REQUIRED

List any **Federal, State, or City of Worcester** agencies from which permits or other actions have been or will be sought. Please continue list on an attached sheet if needed.

Agency Name	Permit Type	Date Filed	File Number
<b>Building Department</b>	<b>Building Permit</b>	TBD	
Street Opening Permit	DPW	TBD	

### 13. PLAN REQUIREMENTS

The following information is required of all applications submitted for Site Plan Review. If you are not providing one of these, please check "waiver requested" next to the item.

Feature	Waiver Requested	Location in Set (Sheet/ page #)
Site Plan at a minimum $1'' = 40'-0''$ scale, legend, & properly oriented north arrow		All
Locus plan with zoning information shown		Sheet 1
Existing utilities		EC plans
Existing and proposed grading using differing linetypes, showing 2' contours		EC plans
Soil types identified on the plan (including test-pit/boring locations)		N/A
Location of all trees over 9" caliper inches on existing conditions plan		N/A
Architectural elevations or renderings (including exterior materials)		Arch plans
Landscape plan including plantings, and details for all landscape elements		Arch plans
Shade trees to reduce heat island effect. (1 tree required per dwelling unit and a minimum of 1 tree required for every 10 interior parking spaces, 3.5" caliper size)	<b>√</b>	Arch plans
Stormwater mitigation measures for the 2, 10, 25, & 100-year design storm. Provide a stamped Stormwater Checklist & Calculations. All projects shall comply with Massachusetts Stormwater Standards, as applicable to project scale.		Separate cover
For multi-family residential dwellings in B zones, 10% of site area has been provided for recreation. Note: See Article IV, Section 2, Table 4.2, footnote 3.		N/A

#### 14. REVIEW STANDARDS

The following standards shall be used by the Planning Board in reviewing all applications for site plan review. These standards are intended to provide a frame of reference for the applicant in development of applications. These standards shall not be regarded as inflexible requirements. They are not intended to discourage creativity, invention or innovation. Applicants are encouraged to evaluate the extent to which the site plan, its immediate and general locus and the City more generally can tolerate the development being proposed and adjust their proposals accordingly.

Applicants should additionally <u>provide a narrative "project impact statement"</u> summarizing how the proposed project has been designed with the following criteria in mind by evaluating their proposal on the basis of the following 16 review standards, as outlined in the Zoning Ordinance per Article V, Section 5, B.

Provide the following information about the proposed project in relation to the review standards. If you are not providing one of these features please check "none" next to the item.

 Adequacy and arrangement of pedestrian traffic access and circulation, walkway structures, control of intersections with vehicular traffic and overall pedestrian convenience.

	Feature	None	Page/ sheet #
а.	Pedestrian pathways internal to the site, with dimensions of path widths		Sheet 3
).	Pedestrian pathways connecting to sidewalks or nearby amenities		Sheet 3
	Doors/egress to all existing and proposed buildings		Sheet 3
1.	Pedestrian paving and surface treatment details		Sheet 3
٠.	Safe, ADA accessible pedestrian crossings at driveways and intersections		Sheet 3, Arch plans

Adequacy and arrangement of vehicular traffic access and circulation including intersections, road widths, pavement surfaces, dividers and traffic controls.

	Feature	None	Page/ sheet #
a.	Driveway layout & materials		Sheet 3
b.	Dimensions of all drives and curb cut widths, minimizing the number and width of curb-cuts (see Note 5 to Table 4.4)		Sheet 3
c.	Access control and directional signage (e.g. gates, pavement markings, etc.))	<b>V</b>	
d.	Pavement and curb details, including level sidewalks at driveways		Sheets 6-7
e.	Permeable or porous paving, and/ or cool pavements/ treatments	1	

3. Location, arrangement, appearance and sufficiency of off-street parking and loading.

Feature	None	Page/ sheet #
Number of parking spaces provided (9 x 18)	<b>V</b>	
Number of compact parking spaces (8 x16)	1	
ADA parking spaces	1	
Parking aisle width (24 feet for 90° parking; see policy for angled spaces)	1	
Parking is outside front & exterior side yard/setback (except residential drives)	<b>V</b>	
Loading spaces or docks (see Table 4.5 and related notes)		Sheet 3, Arch plans
Screen planting between parking and edge of property or pedestrian paths	1	N/A
Number of electric vehicle charging stations or "ready" (conduit run) spaces	1	
Bicycle parking (is it covered, or provided inside the building? Circle: YES NO)		Sheet 3, inside

Loca	tion, arrangement, size, design and general site compatibility of buildings, light		g and	i signs.	
	Feature	N	lone	Page/ sheet #	
a.	Building entrance fronting on the sidewalk			Sheet 3	
b.	Front façade with features to add visual interest and activate street (e.g., window placement, variation of materials, reduction in massing, etc.)			Arch plans	
C.	Green roof, blue roof, rooftop solar, or use of high-albedo roof treatments			TBD	
d.	Light levels appropriate for safety (1 foot candle) where pedestrians and vehicles will meet			Arch plans	
e.	Parking and circulation directional signage	П	1	N/A	
f.	Signage facing the street			TBD	
Ade	quacy of stormwater and drainage facilities.				
	Feature	N	lone	Page/sheet#	
a.	Flood Zones, wetlands, watercourses, and water quality and wellhead protection areas	I	<b>✓</b>	None	
b.	Bioswale or other open stormwater infiltration area planted with native vegetation (rain garden, etc.)	I	<b>✓</b>	None	
c.	Infiltration of clean runoff to maintain groundwater supply	П	1	None	
d.	Overflow or other connection to City stormwater infrastructure***	Н	•	Sheet 5	
	***Contact DWP&P to determine any applicable sewer connection or use change	e fe	es.		
	quacy of water supply and sewerage disposal facilities.				
	Feature	N	lone	Page/ sheet #	
a.	Connections to or extensions of city sanitary sewer and water utilities. Contact DWP&P to determine any applicable sewer connection or use change fees.			Sheet 4	
b.	Connections to or extensions of city storm drainage infrastructure			Sheet 4	
C.	Footing or foundation drainage for a proposed structure or wall			N/A	
	quacy, type and arrangement of trees, shrubs and other landscaping elemedscaping Design Standards set forth in Article V, Section-5(C).	nt	s in a	ccordance with th	
	Feature	N	lone	Page/ sheet #	
a.	Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.	I		Sheet 4, Arch plans	
b.	Engineered slopes (rip-rap is not recommended)	П	1		
c.	Planted buffers between parking facilities and adjacent properties or roads		1	N/A	
d.	Proposed plantings and areas to be seeded (number, species or mix, size)			Arch plans	
e.	Fencing, including information on material, height, and style (including gates)	П		Sheet 3, Arch plans	
f.	Planted buffers along rear and side yard setbacks	П		TBD	
In th	ne case of an apartment complex or other multiple dwelling, the adequacy of un space. Note: for residential uses in Business Districts see Article IV, Section 2, Table 4.2, for	sea	ble c	ommon property o	
ope	Feature	1000	one 3.	Page/ sheet #	
a.	Outdoor seating (i.e. benches, seat walls, picnic tables, etc.)	П	1	Sheet 3	
b.	Recreation or play area (Is it designed for children/families? Circle: YES NO)	Ħ		Sheet 3, Arch plans	
c.	Raised beds for a community garden or other urban agriculture provisions	H	7		
d.	Paved pedestrian plaza area (includes patios) or deck	H	1	Sheet 3, Arch plans	
e.	Interior common space and amenities or balconies	H		Sheet 3, Arch Plans	
		L			

	Feature	None/	Page/ sheet #
	Plan locating all existing (to remain) & proposed light fixtures		EC plans
•	Details of all proposed light fixtures: showing max temperature of 4,000K, dark-sky compliant, and with shielding to prevent light spillover	<b>√</b>	N/A
	Photometric plan for parking lots with ≥12 new spaces	1	N/A
	Opaque fencing or evergreen planting to screen trash or utility areas (including siting and screening of roof-top equipment, as applicable)	<b>√</b>	N/A
	Sound attenuation at loading, utility, and other noise generating areas with particular attention to sensitive neighbors	<b>√</b>	N/A
	Limit of clearing, with mature vegetation protected where possible		N/A
le	quacy of fire lanes and other emergency zones and the provisions of fire hydra	nts.	
	Feature	None	Page/ sheet #
	Diagram of fire truck access path (applicant should coordinate turning radius and access requirements with the Fire Department)		N/A
•	Clearly marked fire or emergency loading areas		N/A
	Fire hydrants and/or FDC connections		EC plans
	cial attention to the adequacy of structures, roadways and landscaping in ding, flooding and/or erosion.	areas w	ith susceptibili
110		None	Page/sheet#
	ding, flooding and/or erosion.		
	Feature Feature		Page/sheet#
	Feature  All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and	None after co	Page/ sheet # N/A N/A onstruction.
le	Feature All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and Feature	None	Page/ sheet # N/A N/A
le	Feature  All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and	None after co	Page/ sheet # N/A N/A nstruction. Page/ sheet #
e	Feature  All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and  Feature  Erosion control plan narrative sequence (including perimeter controls and	None after co	Page/ sheet # N/A N/A nstruction. Page/ sheet #
le	Feature  All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and  Feature  Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities	None after co	Page/ sheet # N/A N/A nstruction. Page/ sheet # Sheet 5
	Feature  All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and  Feature  Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities  Plans for securing of any stockpiles on site during construction  Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient)  Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient)	None  after co	Page/ sheet # N/A N/A nstruction. Page/ sheet # Sheet 5 Sheet 5
· le	Feature  All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and  Feature  Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities  Plans for securing of any stockpiles on site during construction  Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient)	None  after co	Page/ sheet #  N/A  N/A  nstruction.  Page/ sheet #  Sheet 5  Sheet 5  N/A  N/A
e	All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and  Feature  Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities  Plans for securing of any stockpiles on site during construction  Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient)  Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient)  Temporary sediment basins and other means of stormwater velocity	None  After co	Page/ sheet #  N/A  N/A  N/A  Instruction.  Page/ sheet #  Sheet 5  Sheet 5  N/A  N/A  Sheet 5
e	All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  Quacy of erosion and sedimentation control measures to be utilized during and feature  Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities  Plans for securing of any stockpiles on site during construction  Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient)  Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient)  Temporary sediment basins and other means of stormwater velocity attenuation or conveyance proposed during construction	None  After co	Page/ sheet #  N/A  N/A  N/A  Instruction.  Page/ sheet #  Sheet 5  Sheet 5  N/A  N/A  Sheet 5

Historically-sensitive façade, window, and roof treatments

N/A

14. Adequacy and impact on the regional transportation system.

	Feature	None	Page/sheet#
a.	Bus service within ¼ mile (indicate number of stops and route numbers)		Traffic study
b.	Improvements to neighborhood walk/bike-ability or public transportation		Traffic study

15. Adequacy of plans and protective measures to ensure minimal risk of contamination to surface or ground water.

Feature	None	Page/ sheet #
Snow storage locations (outside of basins and required parking/landscape buffer)	<b>V</b>	N/A
Water quality structures to remove total suspended solids (TSS) from runoff		Sheet 4
Water quality structures to remove pollutants from runoff (i.e. oil/ water separators, etc.)		Sheet 4
Plan for mitigation of any contaminated soils (include RTN, RAM Plan, AUL)	1	N/A
Locations of material to cut or filled (including the location of the source material if fill)	<b>V</b>	N/A
Dewatering plans	<b>V</b>	N/A

16. Conformance of the site design with the purposes and intent of the Worcester Zoning Ordinance.

	Feature	None	Page/ sheet #
a.	Minimum yard setbacks (for front, side, and rear)	1	N/A
b.	Property and right-of-way boundary lines (include the status of ways)	1	Sheet 3, EC plans
c.	Easements for any utilities, public access, or adjacent properties	1	N/A
d.	Regularity factor for all lots		Sheet 1
e.	% paving within the front-yard for residential uses	1	N/A
f.	Height of all structures in feet and stories		Arch plans